





PivotSystem

2RU Fiber Termination Patch/Splice Panel

The PivotSystem 2RU Fiber Termination Patch/Splice Panel is designed for use as a rack mount interconnect point where termination and connectivity of up to 144 fibers is desired. This solution allows for easy access to the front patch cords as well as the splice trays and pigtails after being swing out. Standard panels are available empty for complete field configuration, half-loaded with adaptor plates for field termination and cable assembly installation, or stubbed with a factory-installed cable assembly of a user specified length.



Features


- ✓ Fits comfortably into new and existing interconnect, cross-connect, customer premise, and co-location environments
- ✓ Most common connector styles and types available
- ✓ Compatible with industry standard equipment frames
- ✓ Modular design
- ✓ Swing-open front swing-out tray
- ✓ Optional splice tray kit for on site conversion to patch and splice panel

Specifications

- ✓ Aluminum Construction per ASTM B209
- ✓ Durable textured powder coat finish available in black or white
- ✓ Universal 19/21" EIA/TIA rack compatibility
- ✓ Standard density: up to 72 fiber, High density: up to 144 fiber
- ✓ Front and back side mounting options
- ✓ Standard cable stub location is leftside
- ✓ Optional cable stub location is rear


Applications

- ✓ Telecommunications closets
- ✓ Data Centers
- ✓ Customer Premise
- ✓ LAN / WAN Networks
- ✓ Central Offices / Headends
- ✓ Hubs / Cabinets / Remote Terminals
- ✓ FTTH / FTTB Networks




Dimensions


DEPTH A (mm)	WIDTH B (mm)	HEIGHT C (mm)	RACK UNITS	CAPACITY	UNLOADED WEIGHT
280	430	88	2	48/96/144	2 kg




EXPLODED VIEW




Order No*	Product Definition
102042-CC	PivotSystem 2RU Fibre Optic Termination Panel, 19" - Pivot Type without front plate, Colour: Black-RAL9005 or Light Grey RAL7035, (2pcs. PG16 Plastic Gland, 1pcs. 50 cm Plastic Spiral Tube Ø8mm, 1pcs. Plastic Dust Cover for Cable Entries 2pcs. Adhesive Bunny Clips, 4pcs. 2,5mmX10 Cable Ties)




48 SC Duplex Vertical 2RU Front Plate




24 SC Duplex Vertical 2RU Front Plate




72 LC Duplex or 72 E2000 or 72 SC Simplex 2RU Front Plate




72 LC Duplex or 72 E2000 or 72 SC Simplex Horizontal 2RU Front Plate




48 LC Duplex or 48 E2000 or 48 SC Simplex Horizontal 2RU Front Plate




24 LC Duplex or 24 E2000 or 24 SC Simplex Vertical 2RU Front Plate




24 LC Duplex or 24 E2000 or 24 SC Simplex Horizontal 2RU Front Plate



48 ST or 48 FC (D-hole) 2RU Front Plate



48 ST or 48 FC (D-hole) Horizontally Shifted 2RU Front Plate



Order No*	PivotSystem 2RU Front Plate Options
102042.01-CC	48 SC Duplex Vertical 2RU Front Plate
102042.02-CC	24 SC Duplex Vertical 2RU Front Plate
102042.03-CC	72 LC Duplex or 72 E2000 or 72 SC Simplex 2RU Front Plate
102042.04-CC	72 LC Duplex or 72 E2000 or 72 SC Simplex Horizontal 2RU Front Plate
102042.05-CC	48 LC Duplex or 48 E2000 or 48 SC Simplex Horizontal 2RU Front Plate
102042.06-CC	24 LC Duplex or 24 E2000 or 24 SC Simplex Vertical 2RU Front Plate
102042.07-CC	24 LC Duplex or 24 E2000 or 24 SC Simplex Horizontal 2RU Front Plate
102042.08-CC	48 ST or 48 FC (D-hole) 2RU Front Plate
102042.09-CC	48 ST or 48 FC (D-hole) Horizontally Shifted 2RU Front Plate

Ordering Information

* CC=LG for Light Grey RAL 7035 & BL for Black RAL 9005 for customers to define while ordering